


INFORMATION DISCLOSURE STATEMENT	Atty. Docket No.: 110.00900101	Serial No.: 09/181,585
	Applicant(s): Ranum et al.	
	Filing Date: October 28, 1998	Group: 1643 1655



U.S. PATENT DOCUMENTS							
Examiner Initial		Document Number	Date	Name	Class	SubClass	Filing Date If Appropriate
Ⓢ		4,683,194	07/28/87	Saiki et al.	435	6	
		4,683,195	07/28/87	Mullis et al.	435	6	
↓		5,741,645	04/21/98	Orr et al.	435	6	
		5,834,183	11/10/98	Orr et al.	435	6	

FOREIGN PATENT DOCUMENTS

		Document Number	Date	Country	Class	SubClass	Translation	
							Yes	No
Ⓢ	—	95/01437	01/12/95	PCT	536	23.1		
↓	—	97/42314	11/13/97	PCT	536	23.1		

OTHER DOCUMENTS (Including Authors, Title, Date, Pertinent Papers, etc.)

Ⓢ	—	Ashizawa et al., "Anticipation in myotonic dystrophy. II. Complex relationships between clinical findings and structure of the GCT repeat," <u>Neurology</u> , 42, 1877-1883 (1992).
	—	Benomar et al., "The gene for autosomal dominant cerebellar ataxia with pigmentary macular dystrophy maps to chromosome 3p12-p21.1," <u>Nature Genet.</u> , 10, 84-88 (1995).
	—	David et al., "Cloning of the SCA7 gene reveals a highly unstable CAG repeat expansion," <u>Nature Genet.</u> , 17, 65-70 (1997).
	—	Gardner et al., "Autosomal Dominant Spinocerebellar Ataxia: Clinical Description of a Distinct Hereditary Ataxia and Genetic Localization to Chromosome 16 (SCA4) in a Utah Kindred," Abstract 921S, <u>Neurology</u> , 44, A361 (1994).
	—	Gispert et al., "Chromosomal assignment of the second locus for autosomal dominant cerebellar ataxia (SCA2) to chromosome 12q23-24.1," <u>Nature Genet.</u> , 4, 295-299 (1993).
↓	—	Gouw et al., "Retinal degeneration characterizes a spinocerebellar ataxia mapping to chromosome 3p," <u>Nature Genet.</u> , 10, 89-93 (1995).

EXAMINER <i>Jhane Douay</i>	Date Considered 12/16/99
*Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.	

INFORMATION DISCLOSURE STATEMENT	Atty. Docket No.: 110.00900101	Serial No.: 09/181,585
	Applicant(s): Ranum et al.	
	Filing Date: October 28, 1998	Group: 1643 1655

MAR 09 1999

9		Hernandez et al., "ENC-1: A Novel Mammalian Kelch-Related Gene Specifically Expressed in the Nervous System Encodes an Actin-Binding Protein," <u>J. Neurosci.</u> , <u>17</u> , 3038-3051 (1997).
		Imbert et al., "Cloning of the gene for spinocerebellar ataxia 2 reveals a locus with high sensitivity to expanded CAG/glutamine repeats," <u>Nature Genet.</u> , <u>14</u> , 285-291 (1996).
		Kawaguchi et al., "CAG expansions in a novel gene for Machado-Joseph disease at chromosome 14q32.1," <u>Nature Genet.</u> , <u>8</u> , 221-228 (1994).
		Kim et al., "NRP/B, a Novel Nuclear Matrix Protein, Associates With p110 ^{RB} and Is Involved in Neuronal Differentiation," <u>J. Cell Biol.</u> , <u>141</u> , 553-566 (1998).
		Koide et al., "Unstable expansion of CAG repeat in hereditary dentatorubral-pallidoluysian atrophy (DRPLA)," <u>Nature Genet.</u> , <u>6</u> , 9-13 (1994).
		Koob et al., "A 3' untranslated CTG repeat causes spinocerebellar ataxia type 8 (SCA8)," abstract, www.faseb.org/genetics/ashg/ann-meet , published September 30, 1998.
		Koob et al., "Rapid cloning of expanded trinucleotide repeat sequences from genomic DNA," <u>Nature Genet.</u> , <u>18</u> , 72-75 (1998).
		Lathrop et al., "Strategies for multilocus linkage analysis in humans," <u>Proc. Natl. Acad. Sci. USA</u> , <u>81</u> , 3443-3446 (1984).
		Maxam et al., "Sequencing End-Labeled DNA with Base-Specific Chemical Cleavages," <u>Methods in Enzymology</u> , <u>65</u> , 499-557 (1980).
		Messing et al., "A system for shotgun DNA sequencing," <u>Nucl. Acids Res.</u> , <u>9</u> , 309-321 (1981).
		Moseley et al., "Frequency and dramatic instability of the 3' untranslated CTG repeat causing spinocerebellar ataxia type 8 (SCA8)," abstract, www.faseb.org/genetics/ashg/ann-meet , published September 30, 1998.
		Nagafuchi et al., "Dentatorubral and pallidoluysian atrophy expansion of an unstable CAG trinucleotide on chromosome 12p," <u>Nature Genet.</u> , <u>6</u> , 14-18 (1994).
		Orr et al., "Expansion of an unstable trinucleotide CAG repeat in spinocerebellar ataxia type 1," <u>Nature Genet.</u> , <u>4</u> , 211-226 (1993).
		Ott, <u>Analysis of Human Genetic Linkage, Revised Edition</u> , The Johns Hopkins University Press, Baltimore, MD, title page and table of contents (1991).
✓		Pulst et al., "Moderate expansion of a normally biallelic trinucleotide repeat in spinocerebellar ataxia type 2," <u>Nature Genet.</u> , <u>14</u> , 269-276 (1996).

EXAMINER

Shanne Sauer

Date Considered

12/16/99

*Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

INFORMATION DISCLOSURE STATEMENT	Atty. Docket No.: 110.00900101	Serial No.: 09/181,585
	Applicant(s): Ranum et al.	
	Filing Date: October 28, 1998	Group: 1643 1655

OFFICE OF
MAR 09 1999

8			Ranum et al., "Spinocerebellar Ataxia Type 1 and Machado-Joseph Disease: Incidence of CAG Expansions among Adult-Onset Ataxia Patients from 311 Families with Dominant, Recessive, or Sporadic Ataxia," <u>Am. J. Hum. Genet.</u> , <u>57</u> , 603-608 (1995).
1			Ranum et al., "Spinocerebellar ataxia type 5 in a family descended from the grandparents of President Lincoln maps to chromosome 11," <u>Nature Genet.</u> , <u>8</u> , 280-284 (1994).
			Robinson et al., "Drosophila Kelch Is an Oligomeric Ring Canal Actin Organizer," <u>J. Cell Biol.</u> , <u>138</u> , 799-810 (1997).
			Saiki et al., "Enzymatic Amplification of β -Globin Genomic Sequences and Restriction Site Analysis for Diagnosis of Sickle Cell Anemia," <u>Science</u> , <u>230</u> , 1350-1354 (1985).
			Sambrook et al., <u>Molecular Cloning: A Laboratory Manual</u> , Cold Spring Harbor Laboratory: New York, cover page and table of contents (1989).
			Sanpei et al., "Identification of the spinocerebellar ataxia type 2 gene using a direct identification of repeat expansion and cloning technique, DIRECT," <u>Nature Genet.</u> , <u>14</u> , 277-284 (1996).
			Scharf et al., "Direct Cloning and Sequence Analysis of Enzymatically Amplified Genomic Sequences," <u>Science</u> , <u>233</u> , 1076-1078 (1986).
			Takiyama et al., "The gene for Machado-Joseph disease maps to human chromosome 14q," <u>Nature Genet.</u> , <u>4</u> , 300-304 (1993).
			Vincent et al., "Unstable DNA in major psychoses: cloning of a new unstable trinucleotide repeat region on chromosome 13," abstract, www.faseb.org/genetics/ashg/ann-meet , published September 30, 1998.
1			Zhuchenko et al., "Autosomal dominant cerebellar ataxia (SCA6) associated with small polyglutamine expansions in the α_{1A} -voltage-dependent calcium channel," <u>Nature Genet.</u> , <u>15</u> , 62-69 (1997).

EXAMINER	<i>Johanne Sonay</i>	Date Considered	12/16/99
<p>*Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.</p>			